

Re-tool your machine shop this fall & winter 2013-2014



DRILL PRESS CHUCK SAFETY GUARD KM-118
Fits KC-118FC
\$19.99

29 PC. TITANIUM DRILL BIT SET
KDB-29T
\$29.99

17" DRILL PRESS with SAFETY GUARD & LIMIT SWITCH KC-118FC

- 12.5 amp. motor
- 16 speeds (240-3400 RPM)
- 17" swing
- 3 1/4" stroke
- 5/8" chuck

\$489.

17" DRILL PRESS with SAFETY GUARD & LIMIT SWITCH KC-118FC(LS)

- 12.5 amp. motor
- 16 speeds (240-3400 RPM)
- 17" swing
- 3 1/4" stroke
- 5/8" chuck

\$589.

MILLING DRILLING MACHINE with SAFETY GUARD & LIMIT SWITCH

PDM-30

- 2 HP motor (220V)
- 16 1/2" swing
- 1 1/4" Drilling capacity
- 3" Face mill capacity
- 5" stroke
- Spindle taper R8
- 12 speeds (150-2500 RPM)

FREE BONUS PACKAGE \$343.85
5 PC ACCESSORY BONUS PACKAGE FREE

optional \$5-45
MILLING DRILLING MACHINE STAND
Heavy-duty steel construction

\$199.99

INCLUDED WITH THE PURCHASE OF A PDM-30 MILLING DRILLING MACHINE

- Includes: angle drill press vise, drill chuck with key, drill chuck arbor, carbide tipped face mill and shell mill arbor

\$1799.

5.5 PEAK HP 24 GALLON AIR COMPRESSOR KC-3124V1

- 2 cylinder cast iron single stage oil lubricated pump
- 7.6 CFM @ 40 PSI
- 6.0 CFM @ 90 PSI
- 150 PSI max pressure for optimum tool performance
- ASME registered tank
- Belt drive with sturdy metal belt guard
- Large intake "Auto-drop" aluminum filters

NEW \$599.

ARCTIC FLEX
All-Weather Flexibility (-40°C to 65°C)
300 PSI MAXIMUM PRESSURE

HYBRID POLYMER INDUSTRIAL AIR HOSES

K-2514H	25' x 1/4"	\$19.99
K-2538H	25' x 3/8"	\$24.99
K-5014H	50' x 1/4"	\$29.99
K-5038H	50' x 3/8"	\$39.99
K-10014H	100' x 1/4"	\$49.99
K-10038H	100' x 3/8"	\$59.99

7" X 12" METAL CUTTING BANDSAW KC-712BC

- 12 amp. motor
- Coolant system
- Adjustable ballbearing guides
- 4 speeds (85-130-180-235 SFPM)

\$999.

PATENTED TRU-LOCK quick locking vise system

4.5MM CAMERA PROBE FOR INSPECTION CAMERAS KW-9123

- 4.5mm diameter x 39" flexible-obedient camera probe waterproof to IP67 standards
- LED lights inside the camera probe tip illuminate dark spaces

\$89.99

Ideal for inspection of very small hard-to-reach or hard-to-see areas

INSPECTION CAMERA WITH LCD MONITOR KC-9050

Kit includes:

- Camera handle, 9mm diameter x 39" flexible camera probe,
- 2.4" diagonal TFT-LCD color monitor
- LED lights inside the camera probe tip illuminate dark spaces
- Kit comes with 3 accessory tools (45° mirror, magnetic pick-up, pick-up hook) and 4 AA batteries

\$99.99

WIRELESS INSPECTION CAMERA WITH RECORDABLE LCD MONITOR KC-9200 digital Zoom 3X

Kit includes:

- Camera handle, 39" x 9mm camera probe, 39" x 10mm camera probe extension, 3.5" TFT-LCD wireless color monitor, monitor
- Li-ion charger, 3 accessory tools (45° mirror, magnetic pick-up, pick-up hook), USB and Video cables, 4GB SD memory card and 4 AA batteries

\$199.99

MAGNETIC SWITCHES
Comes with twist lock emergency stop button

Comes with 2 wire clamps, 1 padlock and 2 spare keys

KMAG-110-811 110V (8-11 Amp.)	KMAG-220-1114 220V (14-17 Amp.)
KMAG-110-1417 110V (14-17 Amp.)	KMAG-220-1417 220V (14-17 Amp.)
KMAG-220-811 220V (8-11 Amp.)	KMAG-220-1721 220V (17-21 Amp.)

\$89.99

HIGH OUTPUT 7.5 PEAK HP 80 GALLON AIR COMPRESSOR KC-7180V1-MS

- 2 cylinder cast iron single stage oil lubricated pump
- High output 30 CFM @ 100 PSI
- 43 CFM @ 40 PSI
- 30 CFM @ 100 PSI
- 150 PSI max pressure for optimum tool performance
- 80 gallon ASME registered tank provides longer run times
- ASME safety valve
- American 7.5 peak HP motor and magnetic starter
- Large intake "Auto-drop" aluminum filters
- Heavy-duty 1/2" ball valve and easy to read tank

NEW \$2499.

H.S.S. & BI-METAL BLADES ("SKIP TOOTH")

Model	Length	Width	Blade Material	TPI	Thickness	Price
KBB-712-10	93"	3/4"	H.S.S.	10	.032	\$19.99
KBB-712-14	93"	3/4"	H.S.S.	14	.032	\$19.99
KBB-712-18	93"	3/4"	H.S.S.	18	.032	\$19.99
KBB-712-8M-610	93"	3/4"	Bi-Metal	6-10	.032	\$39.99
KBB-712-8M-1014	93"	3/4"	Bi-Metal	10-14	.032	\$39.99

TIRE INFLATION GUN WITH PRESSURE GAUGE

K-1630

15" flexible rubber hose with lever style chuck, rubber protected 2-1/2" diameter pressure gauge (pressure range of 10-170 PSI) and a quick connect 1/4" NPT air inlet

\$19.99



Spray Gun Kits

8180

8182

8185



\$29.99

\$39.99

\$39.99

8190 HVLP

8195

43 PC.



\$59.99

\$69.99

71 PC. AIR TOOL KIT

8171

Comes with 1/2" Impact, Wrench, 3/8" Ratchet Wrench, Air Hammer and 1/4" Die Grinder

\$99.99



5.5 PEAK HP 20 GALLON AIR COMPRESSOR

KC-2051H1

- 2 cylinder cast iron single stage oil lubricated pump
- 150 PSI max pressure
- 7.6 SCFM @ 40 PSI
- 6.0 SCFM @ 90 PSI
- High efficiency reed valves



\$559.

10 GALLON 5.5 HP GAS (HONDA) WHEELBARROW AIR COMPRESSOR

KC-5510G1

- 2 cylinder cast iron single stage oil lubricated pump
- 150 PSI max pressure
- 14.1 SCFM @ 40 PSI
- 11.2 SCFM @ 90 PSI
- High efficiency reed valves

HONDA GX160 Engine



\$999.

Air Compressors & ACCESSORIES

STATIONARY 6.5 PEAK HP 60 GALLON AIR COMPRESSOR

KC-6160V1

- 2 cylinder cast iron single stage pump
- 150 PSI max pressure
- 13.4 SCFM @ 40 PSI
- 11.2 SCFM @ 100 PSI
- ASME safety valve



\$749.

HIGH OUTPUT 6.5 PEAK HP 60 GALLON AIR COMPRESSOR

KC-5160V1

- 3 cylinder cast iron single stage oil lubricated pump
- 150 PSI max pressure
- 22.6 SCFM @ 40 PSI
- 18.5 SCFM @ 100 PSI
- ASME safety valve



\$1199.

COMPRESSOR OIL BOTTLE (850ml)

KW-077

\$7.99

PERFORMANCE PLUS

WET & DRY VACUUMS

PERFORMANCE PLUS

3.5 PEAK HP 5 GALLON US

8520LP

- 3.5 Peak HP motor
- 5 Gallon US [20L] plastic tank
- Double filtration system
- Comes complete with 6 ft. x 1-1/4" thread-on hose, 3 pc. plastic extension wand, 20L dust bag, foam filter, reusable filter, 10" floor sweep and crevice tool



\$49.99

5 PEAK HP 8 GALLON US

8530LP

- 5 Peak HP motor
- 8 Gallon US [30L] plastic tank
- Double filtration system
- Tank water drain
- Power cord wrap for 12 ft. power cord
- Comes complete with 6 ft. x 1-1/4" hose, 2 pc. plastic extension wand, 30L dust bag, cartridge filter, foam filter, reusable filter, 10" floor sweep and crevice tool



\$69.99

5 PEAK HP 10 GALLON US

8540LST

- 5 Peak HP motor
- 10 Gallon US [40L] corrosion resistant stainless steel tank
- Double filtration system
- Tank water drain
- Power cord wrap for 12 ft. power cord
- Comes complete with 6 ft. x 1-1/4" hose, 2 pc. extension wand, 40L dust bag, cartridge filter, foam filter, reusable filter, 10" floor sweep and crevice tool



\$119.99

6.5 PEAK HP 16 GALLON US

8560LST

- 6.5 Peak HP motor
- 16 Gallon US [60L] corrosion resistant stainless steel tank
- Double filtration system
- Tank water drain
- 18 ft. power cord with convenient power cord wrap posts
- Comes complete with 8 ft. x 2-1/2" flex hose, 2 pc. 2-1/2" extension wand, contoured handle with air control, cartridge filter, foam filter, 14" floor sweep with squeegee insert, gulper tool, crevice tool and hanging accessory storage bag



\$199.99

POWER TOOLS & AUTOMOTIVE EQUIPMENT

BENCH GRINDERS

Come complete with adjustable eye shields, tool rests and stones

BENCH GRINDER STAND SS-150

- Made of cast iron with coolant reservoir
- 32 3/4" high

6"

KC-690
• 3.5 amp. motor
• 3500 RPM

8"

KC-890
• 7 amp. motor
• 3450 RPM

10"

KC-1090
• 14 amp. motor
• 1740 RPM

12" HEAVY-DUTY BENCH GRINDER WITH FLOOR STAND

KC-1295

- 1.5 HP direct drive motor
- Robust cast-iron wheel guards and dust vents with 2-1/2" Tilting adaptor for dust collection!
- Comes complete with floor stand, built-in cast-iron quench tray, 36 grit and 60 grit 12" x 2" grinding wheels

\$59.99

\$46.99

\$79.99

\$249.99

\$879.

4 1/2" X 1 1/2" WET/DRY SHARPENER

KC-4500S

- Compact wet/dry sharpener is ideal for sharpening fine hand tools like chisels, blades, knives and scissors
- 4-1/2" x 1-1/2" 220 grit wheel runs at 170 RPM
- Wheel runs through water bath, preventing burning of fine tempered steel
- Forward/reverse switch allows the wheel to rotate in both directions

\$59.99

Fireproof 3" metal dust collection hoses kit

KM-102

- Kits Includes:
2 - 8ft. (2.5M) 130° Fireproof hoses
4 - Wire hose clamps (3")

\$199.99

Rated 130°C

Fireproof 3" metal dust collection hoses kit

KM-103

- Kits Includes:
2 - 8ft. (2.5M) 180° Fireproof hoses
4 - Wire hose clamps (3")

\$399.99

Rated 180°C

3" WIRE HOSE CLAMP
K-1316 **\$1.99**



3" X 79" METAL BELT SANDER

KC-379MS

- Powerful 220V, 2 HP motor
- Sanding belt rotates on 7-1/2" vented drive wheel
- Head pivots up or down on base
- Horizontal working height of 36"
- Comes with 80 Grit pure zirconium sanding belt

\$749.



3" X 79" PURE ZIRCONIUM SANDING BELTS

Model	Belt Size	Grit	Unit	Price
SB-379-60	3"x79"	60	1	\$15.99
SB-379-80	3"x79"	80	1	\$15.99
SB-379-120	3"x79"	120	1	\$15.99

Hinged top cover for access to entire length of belt for larger pieces

2 HP METAL DUST COLLECTOR

KC-7200C

- Max. air suction capacity: 490 CFM
- Noise level reading at 60": 75 Db
- Can be operated at 15 amp. @ 110V, 7.5 amp. @ 220V motor
- 11" steel fan blade and steel housing
- Easy to change 5 micron air filters with galvanized frames
- Two 3" dust port inlets with 2" reducer adaptors and caps

Easy to empty collection drawer



\$999.

"DOUBLE CUT™" SAW KITS

Counter-Rotating Twin Blade Technology



CS300

- Powerful 4.5 amp. motor
- Cuts hard and soft metals, hardwood, PVC, iron, plastics, aluminum, copper, stainless steel with ease and precision
- Kit includes set of universal tungsten carbide tipped (TCT) blades, 10 pcs. lubricating wax sticks, control handle, arbor tool and sturdy carrying case

\$99.99

DUALSAW
BY THE WAY © KING CANADA

KC-9125

- Powerful 7.5 amp. motor
- Cuts hard and soft metals, hardwood, PVC, iron, plastics, aluminum, copper, stainless steel with ease and precision
- Kit includes set of universal tungsten carbide tipped (TCT) blades, 10 pcs. lubricating wax sticks, control handle, arbor tool and sturdy carrying case

\$129.99



CS650

- Powerful 13 amp. motor
- Cuts hard and soft metals, hardwood, PVC, iron, plastics, aluminum, copper, stainless steel with ease and precision
- Kit includes set of universal tungsten carbide tipped (TCT) blades, 10 pcs. lubricating wax sticks, control handle, arbor tool and sturdy carrying case

\$199.99

DUALSAW
BY THE WAY © KING CANADA

DIGITAL FRACTIONAL CALIPER

KM-106

- Converts to inches (decimal and fractional) and metric readings
- Stainless steel construction
- Waterproof to IP54 standards
- Two 3V Lithium batteries included



\$29.99

DRILL PRESS CHUCK SAFETY GUARD KM-122 Fits KC-122FC
\$19.99

22" DRILL PRESS KC-122FC
 • 12.5 amp motor
 • 1 1/4" capacity
 • Spindle taper MT #4
 • 12 speeds (180-4200 RPM)
 • 4 3/4" stroke
 • 3/4" chuck

22" DRILL PRESS with SAFETY GUARD & LIMIT SWITCH KC-122FC(LS)
 • 12.5 amp motor
 • 1 1/4" capacity
 • Spindle taper MT #4
 • 12 speeds (180-4200 RPM)
 • 4 3/4" stroke
 • 3/4" chuck

\$899. **\$999.**

HEADS TILTS 90° TO THE LEFT AND 30° TO THE RIGHT

21" GEARHEAD DRILLING MACHINE WITH SAFETY GUARD & LIMIT SWITCH
KC-40HS (220V)
KC-40HS-6 (600V)
 • 1.5 HP Motor
 • Forward & Reversing Switch
 • 1 1/4" Drilling Capacity
 • 20 7/16" Swing
 • Spindle Taper MT#3
 • 6 Speeds (60-1500 RPM)
 • Face Mill Capacity 4"
 • End Mill capacity 3/4"

FREE ANGLE VISE
\$3399.

HEADS TILTS 90° TO THE LEFT AND 30° TO THE RIGHT

GEARHEAD MILLING DRILLING MACHINE WITH SAFETY GUARD & LIMIT SWITCH
KC-40HC (220V)
KC-40HC-5 (600V)
 • 1.5 HP Motor
 • Forward & Reversing Switch
 • 1 1/4" Drilling Capacity
 • 20 7/16" Swing
 • Spindle Taper R-8
 • 6 Speeds (60-1500 RPM)
 • Face Mill Capacity 4"
 • End Mill capacity 3/4"
 • Working surface of table 23" x 7 1/2"

FREE ANGLE VISE
\$3999.

52 PC. CLAMPING KIT

KCL-52 Fits 5/8" table slots **\$59.**
KCL-5212 Fits 1/2" table slots **\$59.**

KEYLESS DRILL CHUCKS

KDC-12X 1/2"-JT#33 **\$79.**
KDC-58X 5/8"-JT#3 **\$99.**
KDC-34X 3/4"-JT#4 **\$129.**

COMPOUND SLIDE TABLES

KCT-512 5 1/2" X 12" **\$149.**
KCT-618 6" X 18 1/2" **\$199.**

20 PC. TITANIUM COATED END MILL SET
KM-120 TITANIUM NITRIDE COATED HIGH SPEED STEEL
 2 & 4 Flute (10pcs. each) Imperial, Single End

\$109.

CROSSLIDE VISES
 • Extremely versatile
 • Makes lateral or longitudinal adjustments simple

4" KCV-4 **\$49.99**
5" KCV-5 **\$69.99**
6" KCV-6 **\$89.99**

Free Bonus package
 5 PC ACCESSORY BONUS PACKAGE FREE INCLUDED WITH THE PURCHASE OF A KC-45 MILLING DRILLING MACHINE
 Includes: angle drill, press vice, drill chuck with keys, drill chuck arbor, variable tipped face mill and shell mill arbor

GEARHEAD MILLING DRILLING MACHINE WITH SAFETY GUARD & LIMIT SWITCH
KC-45
 • 1.5 HP Motor
 • 20 7/16" Swing
 • 5" Stroke
 • 6 speeds (60-1500 RPM)
 • 9 1/2" X 32 1/4" Table
 • 1 1/4" Drill capacity
 • 4" Face mill capacity
 • Spindle taper R8

TABLE POWERFEED ATTACHMENT PFM-30 For # KC-45 \$499.

optional MILLING DRILLING MACHINE STAND
 Heavy-duty steel construction
SS-45 \$199.

\$3999.

RADIAL DRILLING MACHINE
KC-35/SS-35
 • 1.5 HP Motor
 • 21 1/4" Max. distance spindle nose to table
 • 38 1/2" swing
 • MT #3 Spindle taper
 • 5 1/4" Spindle stroke
 • 4 1/2" Column diameter
 • Speeds 5(340, 3000 R.P.M.)
 • 21 5/8" x 19 5/8" Table dimensions
 • 14" Head travel
 • 5/8" Size of T-Slot on table
 • Complete with forward reverse switch, 1/2" chuck with key, safety guard and stand

HEAD SWIVELS 180°

\$2999.

28" VARIABLE SPEED GEARHEAD DRILLING MACHINE WITH SAFETY GUARD & LIMIT SWITCH
KC-50
 • Variable speed 2 HP motor
 • 27 1/2" swing
 • 7" stroke
 • Variable Speeds 2 (60-870 / 120-1740)
 • 1 1/2" capacity
 • Spindle taper MT#4
 • 1/2" Chuck & key included

• Voltage 550V, 3 phase

POWER DOWNFEED & TAPPING

RECIRCULATING COOLANT SYSTEM

\$3999.

VERTICAL TURRET MILLING MACHINES

KING
INDUSTRIAL

18 PC. COLLET SETS
Includes straight shank, 15 collets,
wrench and plastic case.

\$299. ea.

KCS-4015

- Straight shank taper ISO 40
- Draw Bar 5/8" WII

KCS-R8-15

- Straight shank taper RB
- Draw Bar 7/16" NF 20

K-TYPE SWIVEL
BASE MILLING VISES



4" -KMY-4N 6" -KMY-6N
\$159. \$199.
8" -KMY-8N **\$299.**

HORIZONTAL
&
VERTICAL ROTARY TABLES



KC-HVRT-6 KC-HVRT-8
Size 6" Size 8"
\$299. \$399.

TAILSTOCK
FOR ROTARY TABLE




KC-TRT-6
• Fits: KC-HVRT-6, KC-HVRT-8
\$99.99

DIVIDING PLATES
FOR ROTARY TABLE



KC-DPRT-6 KC-DPRT-8
Size 6" Size 8"
\$99.99 ea.


FAGOR DIGITAL READOUT SYSTEM



20i-M-1230
(Fits 942VS-6-NF)
2 AXIS with
12" x 30" scales

\$1699.

FAGOR DIGITAL READOUT SYSTEM



20i-M-1836
(Fits 1050VS)
2 AXIS with
18" x 36" scales

\$1799.

FAGOR DIGITAL READOUT SYSTEM



30i-M-183616
(Fits 1050VS)
3 AXIS with
18" x 36" scales

\$2499.

MILLING DRILLING
MACHINE WITH
DIGITAL READOUT,
SAFETY GUARD
& LIMIT SWITCH

KC-20VS

- 1 HP Motor
- 13" Max. distance spindle nose to table
- 13" swing • RB Spindle taper
- 2" Spindle stroke
- Speeds 2(50-1125 / 100-2250 RPM)
- 7 1/16" x 27 1/2" Table dimensions
- 1/2" Size of T-Slot on table
- Comes with 1/2" chuck, chuck key, RB chuck arbor, safety guard, 2 T-bolts, oil bottle, adjustment wrenches, hex keys and tool box

HEADS TILTS
90° TO THE
LEFT AND
RIGHT

optional
MILLING DRILLING
MACHINE STAND

SS-20VS

Heavy-duty steel
construction

\$199.

SPECIAL PACKAGE PROMOTION
\$10999.

942VS-DELUXE

installed with

- 942VS-6-NF MILLING MACHINE
- PFM-9422 TABLE POWERFEED
- 20i-M-1230 FAGOR DIGITAL READOUT SYSTEM
- KCS-R8-15 18 PC. COLLET SET
- KMY-6N 6" K-TYPE SWIVEL BASE MILLING VISE

VARIABLE
SPEED DRIVE

AVAILABLE 220
OR 550 VOLTS

VERTICAL TURRET
MILLING MACHINE

942VS-6-NF

942VS-6-NF-5

TURRET HEAD
SWIVELS 360°

- 3 HP Motor
- R-8 Spindle taper
- Size of table 9"x42"
- Table travel 30"
- Saddle travel 12"
- Knee travel 16"
- Quill travel 5"
- 2 speed variable speed drive (70-500, 600-4200 R.P.M.)
- Max. distance spindle to table 19"
- Distance spindle to column 6 3/4"-19"
- Quill power feed (.0015, .003, .006)
- Ram movement 12"

OPTIONAL
TABLE POWERFEED
• 440 lbs torque
• 1 amp motor
PFM-9422
LONGITUDINAL

\$599.

VERTICAL TURRET
MILLING MACHINE

1050VS

- 5 HP Motor
- ISO-40 Spindle taper
- Size of table 10"x50"
- Table travel 36"
- Saddle travel 16 1/2"
- Knee travel 16"
- Quill travel 5"
- 2 speed variable speed drive (70-500, 600-4200 RPM)
- Max. distance spindle to table 18"
- Distance spindle to column 24"
- Quill power feed (.0015, .003, .006)
- Ram movement 24"

INCLUDED
TABLE POWERFEED
ATTACHMENT
(550 LBS TORQUE)
LONGITUDINAL

\$11999.

\$1499.

\$9499.

METAL CUTTING BANDSAWS



H.S.S. & BI-METAL BLADES ("SKIP TOOTH")

Model	Length	Width	Blade Material	TPI	Thickness	Price
KBB-115-10	64 1/2"	1/2"	H.S.S.	10	.025	\$10.99
KBB-115-14	64 1/2"	1/2"	H.S.S.	14	.025	\$10.99
KBB-115-18	64 1/2"	1/2"	H.S.S.	18	.025	\$10.99
KBB-115-24	64 1/2"	1/2"	H.S.S.	24	.025	\$10.99
KBB-115-BM-10	64 1/2"	1/2"	Bi-Metal	10	.025	\$29.99
KBB-115-BM-14	64 1/2"	1/2"	Bi-Metal	14	.025	\$29.99
KBB-115-BM-18	64 1/2"	1/2"	Bi-Metal	18	.025	\$29.99



5" x 6" METAL CUTTING BANDSAW

KC-129C

- 6 amp. motor
- 3 speeds (80-120-200 FRM)
- Comes with wheels for portability

\$379.99

14" SELF-FEED VERTICAL METAL CUTTING BANDSAW

KC-914H

- Powerful 1 HP motor
- Hydraulic gravity feed regulator feeds blade into material by gravity for hands-free use
- Precision blade tension adjustment
- Comes complete with bi-metal blade, work light, chip tray, miter gauge, C clamp vise gravity feed stop clamp and extension roller

\$3299.

BI-METAL BLADES ("SKIP TOOTH")

Model	Length	Width	TPI	Thickness	Price
KBB-914-BM-10	120"	3/4"	10	.032	\$59.99
KBB-914-BM-14	120"	3/4"	14	.032	\$59.99

5" x 6" DUAL SWIVEL METAL CUTTING BANDSAW

KC-129DS

- Head swivels 0° - 45° to the right and 0° - 60° to the left
- Adjustable hydraulic downfeed control
- Automatic shut-off switch
- Adjustable ball bearing guides
- Portable design for easy movement



\$699.99



7" x 12" METAL CUTTING BANDSAW WITH GEAR DRIVE

KC-712GH-3

- 1 HP Motor
- Returning coolant system
- 3 (110-230-340 FPM)
- Automatic shut-off
- Adjustable ball bearing guides



PATENTED TRU-LOCK quick locking vise system

PATENTED GEAR DRIVE SYSTEM... is the ONLY one in the Canadian market which allows the user to change speeds without stopping the machine.

\$1499.

7" X 12" DUAL SWIVEL METAL CUTTING BANDSAW

KC-712DS

- 1 HP Motor
- Returning coolant system
- 4 speeds (98-164-246-328 FPM)
- Automatic shut-off
- Adjustable ball bearing guides



PATENTED TRU-LOCK quick locking vise system

\$2199.



METAL CUTTING BANDSAWS

NEW



PATENTED
TRU-LOCK quick locking vise system



Precision pressure gauge indicates the blade tension

10" X 18" METAL CUTTING BANDSAW
KC-227-2 (220V)
KC-227-6 (600V)

- Powerful 2 HP motor
- 4 speeds (114, 196, 288, 377 FPM)
- Carbide ball bearing blade guides with rollers
- Centralized control panel and automatic shut-off
- Adjustable hydraulic downfeed control
- TRU-LOCK™ cam lock and quick positioning vise system with fully adjustable jaws for 0° to 45° angled cuts
- To ensure reliable accurate cuts, both adjustable control arms can be positioned as close to the cut as possible
- Exclusive 24 volt control panel
- Coolant system with regulator valves provide an even flow of coolant to the blade

H.S.S. BLADES

Model	Length	Width	TPI	Thickness	Price
KBB-225-10	122"	1"	10	.032	\$29.99
KBB-225-14	122"	1"	14	.032	\$29.99

\$3199.



PATENTED
TRU-LOCK quick locking vise system

10" X 18" VARIABLE SPEED SWIVEL METAL CUTTING BANDSAW
KC-2285-V-2 (220V)
KC-2285-V-6 (600V)

\$4999.

- Powerful 2 HP motor
- Variable speed (73-312 FPM)
- Swivel base from 0° to 45°
- Position adjustable control panel and automatic shut-off
- Adjustable hydraulic down feed control
- Carbide ball bearing blade guides
- Exclusive 24 volt control panel
- Coolant system with regulator valves provide an even flow of coolant to the blade



VARIABLE SPEED
AVAILABLE 220 or 550 VOLTS

9" X 18" VARIABLE SPEED SWIVEL METAL CUTTING BANDSAW
KC-918S-V

- 2 HP Motor
- Variable speed (80-250 FPM)
- Carbide ball bearing blade guides with rollers
- Centralized control panel and automatic shut-off
- Adjustable hydraulic downfeed control
- Coolant system
- Precision blade tension adjustment
- Quick-positioning vise with fully adjustable jaws for 0° to 45° angles
- This machine can make a variety of cuts from 90° to 45° while the material is clamped

\$4999.

H.S.S. & BI-METAL BLADES ("SKIP TOOTH")

Model	Length	Width	Blade Material	TPI	Thickness	Price
KBB-918-10	131 3/4"	1"	H.S.S.	10	.032	\$29.99
KBB-918-14	131 3/4"	1"	H.S.S.	14	.032	\$29.99
KBB-918-BM-610	131 3/4"	1"	Bi-Metal	14	.032	\$69.99
KBB-918-BM-812	131 3/4"	1"	Bi-Metal	14	.032	\$69.99

18" METAL CUTTING BANDSAW

KC-450

- Powerful 1 HP motor
- Variable speed
- Hand wheel controls speed
- Speed changes while the machine is in operation
- Comes complete with 4-way tilting table, and work light

\$4199.



METAL LATHES & ACCESSORIES



7" X 12" VARIABLE SPEED MINI METAL LATHE

KC-0712ML
 • 5.5 amp. motor
 • 3/4" spindle bore
 • Variable speeds 2 (0-1100, 0-2500 RPM)
 • Comes complete with quick change gear box, steady rest, replacement gears, 4-way tool post, MT#2 dead center, threading dial indicator, 4" x 3 jaw chuck, emergency stop button, chuck key and hex. keys

\$999.



LIVE CENTERS

- Very accurate
- Fitted with taper roller bearings



KLC-2M
 • MT#2 FITS KC-0712ML

\$59.

KLC-3M
 • MT#3 FITS KC-1022ML, KC-1236ML & KC-1440ML-6

\$69.

10" X 22" BELT DRIVE METAL LATHE

KC-1022ML
 • 12 amp. motor
 • 1" spindle bore
 • Spindle speeds 6 (150-2400) RPM
 • Comes complete with 5" x 3 jaw chuck, 6-1/2" x 4 jawchuck, replacement gears, 4 way tool post, steady rest, follow rest, 8" face plate, thread chasing dial indicator, MT#3 dead center, MT#4 dead center, full length splash guard, tool box, chuck key and hex. keys

\$1999.

optional METAL LATHE STAND
 SS-1022
 Heavy duty steel construction
\$199.



12" X 36" GEARHEAD METAL LATHE

KC-1236ML/SS-1236
 • Powerful 1.5 HP motor
 • 1 1/2" spindle bore
 • Spindle speeds 9 (60-1500) RPM
 • 40(4-112 T.P.I.) 30(2 - 4.5mm) thread cutting
 • Metric and Imperial dials
 • Comes complete with 6" x 3 jaw chuck, 8" x 4 jaw chuck, replacement gears, quick change tool post, steady rest, follow rest, 10" DI-4 camlock face plate, thread chasing dial indicator, MT#3 dead center, full length splash guard, tool box, chuck keys and hex. keys

\$3599.

WITH TAPER ATTACHMENT
KC-1236ML/KM-053/SS-1236

\$4199.

BONUS GEARHEAD METAL LATHE STAND INCLUDED



7 PC. CARBIDE CUTTER HOLDER SET

- 1/4" Carbide Steel 2 position Cutter Tips (5pcs.)
- Carbide Steel Inserts (2pcs.)
- Kit comes in a wooden box with screwdriver and 3 adjustment keys



3/8" Shank
KM-047

\$159.

Fits Models:



5/8" Shank
KM-057

\$169.

Fits Models:

KC-0712ML, KC-1022ML, KC-1236ML, 14440ML-6

14" X 40" GEARHEAD METAL LATHE

KC-1440ML-6
 • Powerful 2 HP motor
 • Spindle speeds 8(70-2000 RPM)
 • 1 7/16" spindle bore
 • 34(4-56 T.P.I.) 26(4 - 7mm) thread cutting
 • Metric and Imperial dials
 • Comes complete with 6" x 3 jaw chuck, 8" x 4 jaw chuck, replacement gears, quick change tool post, steady rest, follow rest, 12" DI-4 camlock face plate, coolant system, full length splash guard, thread chasing dial indicator, 2 MT#3 dead centers, JT#5-MT#3 sleeve, chip tray, tool box, halogen lamp, chuck keys, hex. keys, and cabinet stand with foot brake.

\$4999.

WITH TAPER ATTACHMENT
KC-1440ML-6/KM-054

\$5599.

CABINET STAND WITH FOOT BRAKE INCLUDED



TAPER ATTACHMENT



Taper Attachment must be ordered together with Lathe

These Taper Attachments are designed to fit our 12" x 36", 14" x 40" & 16" x 40" Metal Lathes models

KC-1236ML, KC-1440ML-6 & KC-1640ML

16" x 40" HIGH PRECISION "TOOLROOM" METAL LATHE



KC-1640ML
 • Powerful 4 HP (600V) motor
 • Spindle speeds 16 (45-1800 RPM)
 • 45 (2-72 TPI) threadcutting
 • Comes complete with 8" x 3 jaw chuck with inside & outside jaws, 12" x 4 jaw chuck, quick change tool post and two 3/4" tool holders, steady and follow rests with roller guides, 14" (D1-6) camlock face plate, MT #4 standard dead centre, MT #4 carbide tipped dead centre, MT #4 to MT #6 spindle sleeve adapter, halogen light, coolant system, full length splash guard, manual micrometer carriage stop, tool box and wrenches

\$9999.

WITH TAPER ATTACHMENT
KC-1640ML/KM-055

\$10699.



CABINET STAND WITH FOOT BRAKE INCLUDED

7 PC. QUICK CHANGE TOOL POST KITS



KQCT-0012
 Fits most lathes up to 0 to 12" swing

\$199.

KQCT-1015
 Fits most lathes between 10" to 15" swing

\$269.

KQCT-1318
 Fits most lathes between 13" to 18" swing

\$299.

16" X 60" GEARHEAD METAL LATHE

KC-1660GH
 • Powerful 7.5 HP (575V) motor
 • Spindle speeds (33-2000 RPM)
 • 2 1/16" spindle bore
 • 4-56 T.P.I. threadcutting
 • Comes complete with 8" x 3 jaw chuck with inside & outside jaws, 10" x 4 jaw chuck, quick adjust 6-way tool post, steady rest, follow rest, 14" (D1-6) camlock face plate, taper attachment, 1 live center MT #4, 2 dead centers MT#4 & MT #6, thread chasing dial, metric and imperial dials, halogen light, coolant system, full length splash guard, 4 positions cross slide stop, cabinet stand (full length with foot brake incorporated) and a tool box.

\$15599.



CABINET STAND WITH FOOT BRAKE INCLUDED

FAGOR DIGITAL READOUT SYSTEM



20i-T-1260

(Fits KC-1660GH)

2 AXIS with 12" x 60" scales

\$2599.

SLIP ROLLS

BB-55016

- Max. length 50"
- Capacity 16 gauge
- Weight 600 lbs

\$1999.

BB-53622

- Max. length 36"
- Capacity 22 gauge
- Weight 242 lbs

\$899.

BB-52420

- Max. length 24"
- Capacity 20 gauge
- Weight 180 lbs

\$699.



SHEAR, BRAKE AND ROLL

BB-3022

- Max. length 30"
- Maximum thickness 22 gauge
- Weight 290 lbs

\$699.

BB-4022

- Max. length 40"
- Maximum thickness 22 gauge
- Weight 450 lbs

\$999.



3 IN 1 METAL FORMING MACHINES

4 TON HAND NOTCHER

BB-N616

- Heavy cast-iron construction
- 16 Gauge notching capacity (mild steel)
- 18 Gauge piercing capacity (mild steel)
- Maximum notch (6" X 6" x 90°)
- Weight 210 lbs

\$799.



HANDBRAKES

BB-H4822

- Bending length 48 1/4"
- Capacity 22 gauge
- Weight 290 lbs

\$999.

BB-H4816

- Bending length 48 1/2"
- Capacity 16 gauge
- Weight 470 lbs

\$1499.

52" FOOT SHEAR

BB-F5216

- Cutting length 52"
- Capacity 16 gauge
- Weight 1100 lbs



\$2599.



BOX AND PAN BRAKES

BB-BP4822

- Bending length 48 1/4"
- Capacity 22 gauge
- Weight 290 lbs

\$1099.

BB-BP4816

- Bending length 48 1/2"
- Capacity 16 gauge
- Weight 715 lbs

\$1699.

950W PORTABLE GENERATOR

KCG-951G

- Powerful 2 HP, 2 stroke air cooled motor
- Brushless alternator and electronic ignition
- Outlet: 120V/6.7 amp AC output
- Outlet: 12V/5.3 amp DC output
- Easy start manual recoil starter
- AC and DC circuit breakers and reset buttons for safe operation
- Comes with DC cables and spark plug socket

\$149.99



1500W GASOLINE GENERATOR

KCG-1501G

- Powerful 3 HP, 4 stroke air cooled OHV engine
- Low oil shut-off with indicator light protects the engine
- Duplex Outlet: 120V/10 amp AC output
- Terminals: 12V, 8 amp DC output
- Easy start recoil starter
- AC and DC circuit breakers for safe operation
- Comes with DC cables and spark plug socket

\$279.99



3500W GASOLINE GENERATOR WITH WHEEL KIT

KCG-3500G

- Powerful 6.5 HP, 4 stroke air cooled OHV engine
- AVR system and electronic ignition
- Low oil shut-off with indicator light protects the engine
- Duplex Outlet: 120V/20 Amp AC output
- Twist lock outlet: 120V/240V/30 Amp AC output
- Voltage switch and ground terminal
- AC Circuit breaker and resets for safe operation

\$399.99

Electronic ignition



5625W GASOLINE GENERATOR WITH WHEEL KIT

KCG-5625G

- Powerful 13 HP, 4 stroke air cooled OHV engine
- AVR system and electronic ignition
- Low oil shut-off with indicator light protects the engine
- Two duplex outlets: 120V/20 amp AC
- Twist lock outlet: 120V/240V/30 amp AC
- Easy start recoil starter
- AC double throw circuit breaker and resets for safe operation

\$599.99



7500W GASOLINE GENERATOR WITH ELECTRIC START & WHEEL KIT

KCG-7501GE

- Powerful 13 HP, 4 stroke air cooled OHV engine
- AVR system and electronic ignition
- Low oil shut-off with indicator light protects the engine
- Two duplex outlets: 120V/20 amp AC output
- Two twist lock outlets: 120V/30 amp and 120V/240V/30 Amp AC output
- Keyed electric start and easy start recoil starter
- AC Circuit breaker and resets for safe operation

\$799.99

Includes BATTERY



9000W GASOLINE GENERATOR WITH ELECTRIC START & WHEEL KIT

KCG-9000GE

- Powerful 15 HP, 4 stroke air cooled OHV engine
- AVR system and electronic ignition
- Two duplex outlets: 120V/20 Amp AC output
- Two twist lock outlets: 120V/30 Amp and 120V/240V/30 Amp AC output
- Keyed electric start and easy start recoil starter
- AC Circuit breaker and resets for safe operation
- Terminals: 12V/8.3 amp DC output with DC reset
- Running time digital meter, ammeter and voltmeter

\$899.99

Includes BATTERY



2000W GASOLINE DIGITAL INVERTER GENERATOR



KCG-2000i

- Powerful 4.5 HP, 4 stroke air cooled OHV engine
- Sine wave digital inverter generator provides stable current to power voltage-sensitive electronics
- AC Outlet: 120V/16.7 amp AC output
- DC Outlet: 12V/8.3 amp DC output
- Comes with DC cables, spark plug socket, oil fill container, screwdriver and oil drain pipe

\$599.99



3000W DIGITAL INVERTER GENERATOR WITH REMOTE ELECTRIC START



KCG-3000i

- Powerful 6.8 HP, 4 stroke air cooled OHV engine
- Sine wave digital inverter generator provides stable current to power voltage-sensitive electronics
- Duplex outlet: 120V/20 amp AC
- Twist lock outlet: 120V/30 amp AC
- DC outlet: 12V/8.3 amp output
- 12V battery, DC cables, extra spark plug, spark plug socket, oil fill container, screwdriver and oil drain pipe

Comes with 2 starter keys & 2 remotes



\$999.99



POWER FORCE GAS POWERED

POWER FORCE

GASOLINE ENGINES



- KCG-65**
- Powerful, 4 stroke air cooled OHV engine
 - Low oil shut-off protects the engine
 - Counterclockwise drive shaft direction
 - Ideal for compressors, generators, pressure washers, go-karts and log splitters

\$179.99 EPA Approved

6.5HP



- KCG-130**
- Powerful, 4 stroke air cooled OHV engine
 - Low oil shut-off protects the engine
 - Counterclockwise drive shaft direction
 - Ideal for compressors, generators, pressure washers, go-karts and log splitters

\$299.99 13HP EPA Approved

2" GASOLINE WATER PUMP

KCG-2PG

- Powerful 6.5 HP, 4 stroke, air cooled, OHV gasoline engine
- 2" NPT inlet and outlet
- 92" Total head lift (total height at sea level, to which water can be raised above original water level)
- Oil sensor shuts off engine when oil level is low
- Comes with 3 wire clamps, 4 hose adaptors, 4 rubber gaskets, strainer basket and strainer basket adaptor



\$279.99 EPA Approved

EMERGENCY POWER SOURCE & AIR COMPRESSOR

- 8400N**
- 4 in 1 unit for roadside assistance
 - 900 peak amps, 500 cranking amp boost
 - 250 PSI air compressor with pressure gauge
 - Comes with positive and negative booster clamps, rear storage compartment which holds 120V AC charger, 12V DC charging cord with automotive adaptor, air hose with quick connect chuck, needle adaptor, 2 inflatable adaptors, replacement 15A fuse and bulb.

\$79.99



PALLET TRUCKS



KC-2145-NYL
(21" X 45")
Nylon/Nylon wheels

\$379.99

QUICK RELEASE FOOT PEDAL



KC-2748-NYL
(27" X 48")
Nylon/Nylon wheels

\$379.99

QUICK RELEASE FOOT PEDAL

3 position control handle



KC-2748P
(27" X 48")
Poly/Poly wheels

\$379.99

QUICK RELEASE FOOT PEDAL

QUICK RELEASE FOOT PEDAL



5500 lbs. capacity

Max. raised height of forks 7 1/2" Min. height of forks 2.95"

POWER TOOLS

5" ANGLE DISC GRINDER

- 8364**
- 9.5 amp motor
 - 11,000 RPM

\$49.99



Double Insulation

1/2" IMPACT WRENCH

- 8311**
- 7 amp motor
 - Impacts 2700 / Min.
 - Maximum Torque 230 ft.-lbs
 - Comes with 4 sockets 11/16", 3/4", 13/16", and 7/8"

\$99.99



Double Insulation

14" CUT-OFF SAW

- 8342N**
- 15 amp motor

\$139.99



PRESSURE ABRASIVE SANDBLASTERS

- Heavy-duty all steel construction • Safety pressure relief valve
- Loading abrasive is made simple using the concave funneltop of the tank
- 1/2" (I.D.) x 8 ft abrasive feed hose
- Includes media gun, 4 interchangeable nozzles (2, 2.5, 3 & 3.5mm), water separator filter, protective blast hood and teflon tape



\$169.99



\$209.99

20 TON HYDRAULIC SHOP PRESS

KHP-20T

- Heavy-duty "H" frame with pressure gauge
- Stroke 7-1/4"
- Working range 0 - 37-1/2"
- Bed width 21-5/8"
- Adjustable bed height with support rods

\$339.99



2 TON FOLDING SHOP CRANE

KFC-2

- Simply remove two leg pins to lower or raise for storage
- 4 position boom extends from 42" to 63"
- Legs extend to 67 1/2"
- 8 Ton long stroke jack included

\$269.99



PRESSURE WASHERS

2000 PSI GASOLINE HIGH PRESSURE WASHER

KPW-2001FM

- 2000 PSI, 1.8 GPM maximum water flow
- Powerful 4 HP, 4 stroke air cooled OHV engine
- Thermal relief valve on pump to protect against overheating
- 25' high pressure hose and inlet hose quick connect coupling
- Comes with 8" pneumatic wheels for portability and 4 quick connect nozzles (0°, 25°, 40° and detergent)

EPA Approved



\$299.99

3000 PSI GASOLINE HIGH PRESSURE WASHER

KPW-3001FM

- 3000 PSI, 2.3 GPM maximum water flow
- Powerful 7 HP, 4 stroke air cooled OHV engine
- Thermal relief valve on pump to protect against overheating
- 25' high pressure hose and inlet hose quick connect coupling
- Comes with 10" pneumatic wheels for portability and 5 quick connect nozzles (0°, 5°, 25°, 40° and detergent)

EPA Approved



\$399.99

SANDBLAST CABINETS

ADHESIVE WINDOW PROTECTORS

Fits: KSB-110N-9
KM-097 **\$19.99**
5 PC. KIT

REPLACEMENT CERAMIC NOZZLES

Fits: KSB-110N & KSB-350
KM-036 **\$19.99**
4 PC. KIT

ADHESIVE WINDOW PROTECTORS

Fits: KSB-350
KM-098 **\$19.99**
5 PC. KIT

KSB-350

- Filtered fluorescent light
- Aluminum gun with 3 ceramic replacement nozzles
- 2 rubber gauntlet gloves mounted in front

KSB-110N-9

- Filtered fluorescent light
- Aluminum gun with 3 ceramic replacement nozzles
- 2 rubber gauntlet gloves mounted in front
- Clear plastic full sized lid on top



\$599.



\$159.99

12 TON HYDRAULIC PIPE BENDER

KPB-12T

- Bends 6 different diameter pipes using precision cast dies from 1/2" to 2"
- Maximum bending radius of 90°
- Bends black and galvanized pipe

\$159.99



RECIRCULATING PARTS WASHERS

CLEANING BRUSH FOR PARTS WASHERS

KM-059 **\$19.99**

\$159.99

\$199.99

\$69.99

KPW-205

- 5 gallon capacity
- Safety lever has fusible link
- Durable pump included

5 GALLON

KPW-220

- 20 gallon capacity
- Safety lever has fusible link
- Durable pump included

20 GALLON

KPW-240

- 40 gallon capacity
- Safety lever has fusible link
- Durable pump included

40 GALLON

All taxes extra

We reserve the right to limit quantities. We also reserve the right to correct printing errors. Articles may vary from illustration shown. Some retailers may not stock all products due to space restrictions and product availability.

We reserve the right to correct any typographical and pictorial errors without notice.